

QL-500BW

DK Labels



Versatile and Easy to use thermal label



### **Copy**

Print high quality labels quickly and easily, with the QL-500BW. This low cost label printer makes printing labels a breeze. It's perfect for printing address and shipping labels, banners and signage – it's so easy that you'll never know how you coped without one.

### **Catalogue Spec**

- No paper jams, no ink or toner needed, no label wastage
- Easy peel labels
- Prints continuous length labels
- Integrate with Microsoft - print labels direct from Word, Excel and Outlook
- Built in cutter enables accurate label length

## QL-500BW Model Spec

**Colour:** Black and White

**Tape widths:** Up to 62mm

**Tape inclusion:** DK-11201 Standard Address Label x1 roll

### Packaging

To be supplied in order multiples/minimum quantities of 4x pcs

For this promotion, the QL-500BW will be supplied in vertically stacked shippers (FSDU - floor standing display unit).

Hardware	QL-500BW
Housing Dimensions	146mm(W) x 199mm(D) x 152mm(H)
Housing Weight	1.23kg (without DK roll)
Key Board	No
Number of buttons	2(On/Off, Feed)
Cutter	Manual full cutter(user replaceable)
Power	Internal S/W Power Supply
LCD Display	No
LED lamp	1(On/Off, Error)
Included accessories	CD-ROM [P-touch Editor 5 for Windows, Printer Driver for QL-500, PDF User's Guide] <b>Vista Bonus CD + insertion sheet</b> Quick Start Guide (A2 size Printed Sheet) DK Rolls Line-up Guide Paper Guide USB cable DK11201 Standard Address Label(Starter roll, 100 labels)
Roll Type	DK Rolls (DK Die-cut Labels/DK Continuous Length Tape)
Roll Width	Max.Label width 62mm (2-3/7")
Print Head	300 dpi / 720 dots
Print Method	Direct thermal
Max. Print Height	59.0 mm (Approx. 2.3")
Print Speed	Max. 90 mm / sec. (50 standard address labels/min.)
Cutter Sensor	Yes
Cover Open Sensor	No
Roll Sensor	Yes
Media End Sensor	No
Interface	USB(Ver 1.1)
USB ID switch	No

### Operating Environment

Temperature	10 °C to 35 °C
Humidity	20% to 80% (without condensation)
Windows Software	

OS	Windows
Software	PT-Editor Ver. 5
Connection	USB
OS	Windows 98SE / Me / 2000 Professional / XP
Language (Windows)	UK English / French / German / Netherlands / Swedish / Norwegian / Danish / Spanish / Portuguese / Italian
Attached Fonts	Atlanta / Belgium / Bermuda Script / Bruxelles / Bruxelles Condensed / Connecticut / Germany / Helsinki / Helsinki narrow / Istanbul / Letter Gothic / San Diego / US Roman / Utha / PT Utah Condensed / PT Dingbats 1 / PT Dingbats 2
Symbol Fonts	PT Dingbats / PT Symbol
Available Fonts	All True Type Fonts installed in your computer
Image	Clip arts, Picture making, Symbol fonts, Screen capture, Image file importing
Label Length Setting	25.4mm - 1000 mm
Drawing	Line (Arrow) / Box / Rounded BOX / Ellipse / Curve / Polygon / Frame
Framing	Simple :12, Thin Frame : 20, Thick Frame : 10, Special : 45
Background	Pattern : 60, Texture : 20
Bar code	Code39 / Interleaved 2 of 5 (ITF) / UPC-A / UPC-E / EAN 13 / EAN 8 / CODABAR(NW-7) / CODE 128 / EAN 128 / POSTNET / Laser Bar Code / ISBN-2 / ISBN-5 / PDF417 / QR CODE / Data Matrix
Copy Printing	2 - 500 (Max)
Calendar Printing	Yes
Time / Date Printing	Yes
Arrange Text	Yes
Import Image Files	BMP / ICO / DIB / TIF / JPG / JPEG / WMF / EMF / PNG***
Horizontal/Vertical Block Alignment	Yes
Mirror Printing	Yes
Vertical Printing	Yes
Spacing Between Characters	Yes
Spacing Between Lines	Yes
Numbering	1 - 500 / A - Z / a - z
File link (Database)	Accept Microsoft Access (97, 2000 and 2002), CSV, Excel****
Label List	Yes
Split Printing(QL-550 Only)	Tape width x 2, Tape width x 3, Tape width x 4
Auto Format	25 categories
Background Drawing (Label format)	File Folder, Envelope, Shipping, Visitor badge, FD, CD, Memory Stick, Compact Flash or more
Unit Change	mm - inch - point
Table inserting	Yes
Screen Capture	Yes
Sheet function	Yes
Favourite function	Yes
Object History	Yes
P-touch Library	Yes
Add-in function	MS Word(97,2000, 2002,2003)
	MS Excel(97,2000,2002,2003)
	MS Outlook(2000,2002,2003)